Amendments to the Claims:

The listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A δ -amino- γ -hydroxy- ω -aryl-alkanoic acid amide compound of formula (I)

$$\begin{array}{c|c}
R^7 & OH & R^8 \\
R^7 & R^8 \\
R^8 & R^8
\end{array}$$
(1)

wherein

- R¹ is hydrogen, halogen, optionally halogenated alkyl, cycloalkyl, hydroxy, optionally halogenated alkoxy, cycloalkoxy, lower alkoxy-lower alkoxy or free or esterified or amidated carboxy-lower alkoxy or lower alkyl;
- R² is hydrogen, halogen, optionally halogenated lower alkyl, hydroxy, cycloalkyl, cycloalkoxy, optionally halogenated lower alkoxy-lower alkyl, optionally substituted lower alkoxy-lower alkyl, cycloalkoxy-lower alkyl; optionally lower alkanoylated, halogenated or sulfonylated hydroxy-lower alkoxy; amino-lower alkyl that is unsubstituted or substituted by lower alkyl, by lower alkanoyl and/or by lower alkoxycarbonyl, optionally hydrogenated heteroaryl-lower alkyl, amino-lower alkoxy that is substituted by lower alkyl, by lower alkanoyl and/or by lower alkoxycarbonyl; oxo-lower alkoxy, lower alkoxy, lower alkoxy, lower alkoxy, lower alkoxy, lower alkoxy-lower alkoxy, lower alkylthio-lower alkyl, lower alkylthio-lower alkoxy, lower alkoxy, aryl-lower alkoxy, aryl-lower alkyl, aryl-lower alkoxy, optionally hydrogenated heteroaryl-lower alkoxy, cyano-lower alkyl, free or esterified or amidated carboxy-lower alkoxy or free or esterified or amidated carboxy-lower alkoxy, optionally;
- R³ and R⁴ are independently hydrogen, halogen, optionally halogenated lower alkyl, hydroxy, optionally halogenated lower alkoxy or cycloalkoxy, lower alkoxy-lower alkyl, cycloalkoxy-lower alkyl, hydroxy-lower alkyl, optionally S-oxidised lower alkylthio-lower

alkyl, optionally hydrogenated heteroarylthio-lower alkyl, optionally hydrogenated heteroaryl-lower alkyl; amino-lower alkyl that is unsubstituted or *N*-mono- or *N*,*N*-di-lower alkylated, *N*-lower alkanoylated or *N*-lower alkanesulfonylated or *N*,*N*-disubstituted by lower alkylene, by unsubstituted or *N'*-lower alkylated or *N'*-lower alkanoylated aza-lower alkylene, by oxa-lower alkylene or by optionally *S*-oxidised thia-lower alkylene, cyano-lower alkyl, free or esterified or amidated carboxy-lower alkyl, cycloalkyl, aryl, hydroxy, lower alkoxy, cycloalkoxy, lower alkoxy, lower alkoxy, cycloalkoxy-lower alkoxy, hydroxy-lower alkoxy, aryl-lower alkoxy, optionally halogenated lower alkoxy, optionally *S*-oxidised lower alkylthio-lower alkoxy, optionally hydrogenated heteroaryl-lower alkoxy, optionally hydrogenated heteroaryl-lower alkoxy, optionally hydrogenated or *N*-lower alkoxy that is unsubstituted or *N*-mono- or *N*,*N*-di-lower alkylated, *N*-lower alkanoylated or *N*-lower alkylated or alkylated

- R⁴ together with R₃ is lower alkeneoxy, lower alkylenedioxy or a fused-on aryl, optionally hydrogenated heteroaryl or cycloalkyl ring;
- X is methylene, hydroxymethylene, oxygen, optionally lower alkyl substituted nitrogen, optionally oxidized sulfur;
- R⁶ is lower alkyl or cycloalkyl;
- R⁶ is hydrogen, lower alkyl, hydroxy, alkoxy or halogen;
- R7 is unsubstituted or N-mono- or N,N-di-lower alkylated or N-lower alkanoylated amino;
- R⁸ is lower alkyl, lower alkenyl, cycloalkyl or aryl-lower alkyl;
- R° is optionally substituted lower alkyl, optionally substituted cycloalkyl, optionally substituted cycloalkyl alkyl, cycloalkyl carboxamides. N-mono or N.N-dialkyl substituted cycloalkyl carboxamides, optionally substituted aryl-alkyl, optionally substituted aryloxy-aryl, optionally substituted heteroaryloxy-alkyl, free or aliphatically esterified or etherified hydroxy-lower alkyl; armino-lower alkyl that is unsubstituted or N-lower alkanoylated or N-mono- or N.N-di-lower alkylated or N,N-di-substituted by lower alkylene, by hydroxy-lower alkanoylated or N'-lower alkylated aza-lower alkylene, by unsubstituted or N'-lower alkanoylated or N'-lower alkylene, free or esterified or amidated carboxy-lower alkyl, free or esterified or amidated carboxy-lower alkyl, free or esterified or amidated carboxy-lower alkyl, open lower alkyl, lower alkyl, free or esterified or amidated carboxycycloalkyl-lower alkyl, cyano-lower alkyl, lower alkanesulfonyl-lower alkyl, unsubstituted or N-mono- or N,N-di-lower alkylated thiocarbamoyl-lower alkyl, unsubstituted or N-mono- or N,N-di-lower alkylated sulfamoyl-lower alkyl, or a heteroaryl-radical bonded via a carbon atom

and optionally hydrogenated and/or oxo substituted, or lower alkyl substituted by a heteroaryl radical bonded via a carbon atom and optionally hydrogenated and/or oxo-substituted:

or a pharmaceutically acceptable salt thereof.

Claim 2 (currently amended): A The compound according to claim 1 wherein

R° is lower alkyl, optionally substituted cycloalkyl (alkyl, OH, alkoxy, alkoxy-alkyl, halogens); optionally substituted cycloalkyl-alkyl (OH, alkoxy, alkoxy-alkyl, halogens on cycloalkyl), cycloalkyl carboxamides, N- mono or N.N-dialkyl substituted cycloalkyl carboxamides. optionally substituted aryl-alkyl, free or aliphatically esterified or etherified hydroxy-lower alkyl; amino lower alkyl that is unsubstituted or N lower alkanoylated or N mono- or AV. A di-lower aikylated or AV. A di substituted by lower aikylene, by hydroxy , lower alkoxyar lower alkanoyloxy lower alkylene, by unsubstituted or N' lower alkanoylated or N' lower alkylated aza-lower alkylene, by oxa-lower alkylene or by aptionally S-oxidised this lower alkylene, free or esterified or amidated carboxy lower alkyl, free or esterified or amidated dicarboxy-lower-alkyl, free or esterified or amidated carboxy (hydroxy)-lower alkyl, free or esterified or amidated carboxycycloalkyl-lower alkyl, cyane-lower alkyl, lower alkanesulfonyl-lower alkyl, unsubstituted or N-mono- or N,N-di-lower alkylated thiocarbamoyl-lower alkyl, unsubstituted or N-mono- or N-N-di-lower alkylated suifamoyllower alkyl, or a heteroaryl radical banded via a carbon atom and optionally hydrogenated and/or oxo substituted, or lower alkyl substituted by a heteroaryl radical bonded via a carbon atom and optionally hydrogenated and/or oxo substituted;

or a pharmaceutically acceptable sait thereof.

Claim 3 (currently amended): A The compound according to claim 2 wherein

R¹ and R⁴ are hydrogen;

R2 is lower alkoxy-lower alkoxy;

R3 is halogen or mono, di or tri-halo-substituted alkyl;

or a pharmaceutically acceptable salt thereof.

Claim 4 (currently amended): A <u>The</u> compound according to claim 3 wherein the halogen/halo is fluorine or chlorine;

or a pharmaceutically acceptable salt thereof.

Claim 5 (currently amended): A The compound according to claim 4 wherein

R³ is fluorine or trifluoromethyl:

or a pharmaceutically acceptable salt thereof.

Claim 6 (currently amended): A <u>The</u> compound according to claim 5 wherein R² is in the meta position and R³ is in the para position;

or a pharmaceutically acceptable salt thereof.

Claim 7 (currently amended): A <u>The</u> compound according to claim 5 wherein R³ is in the orthoposition:

or a pharmaceutically acceptable salt thereof.

Claim 8 (currently amended): A <u>The</u> compound according to claim 5 wherein R³ is in the metal position;

or a pharmaceutically acceptable sait thereof.

Claim 9 (currently amended): A <u>The</u> compound according to claim 2 wherein R² is in the meta position and is lower alkoxy-lower alkoxy optionally substituted by halogen(s); or a pharmaceutically acceptable sait thereof.

Claims 10-18 (Cancelled)

Claim 19 (currently amended): A <u>The</u> δ-amino-γ-hydroxy-ω-aryl-alkanoic acid amide compound according to claim 1 having formula (Ia)

wherein

- R¹ is hydrogen, halogen, optionally halogenated alkyl, cycloalkyl, hydroxy, optionally halogenated alkoxy, cycloalkoxy, lower alkoxy-lower alkoxy or free or esterified or amidated carboxy-lower alkoxy or lower alkyl;
- R² is hydrogen, halogen, optionally halogenated lower alkyl, hydroxy, cycloalkyl, cycloalkoxy, optionally halogenated lower alkoxy-lower alkyl, optionally substituted lower alkoxy-lower alkoxy, cycloalkoxy-lower alkyl; optionally lower alkanoylated, halogenated or sulfonylated hydroxy-lower alkoxy; amino-lower alkyl that is unsubstituted or substituted by lower alkyl, by lower alkanoyl and/or by lower alkoxycarbonyl; optionally hydrogenated heteroaryl-lower alkyl; amino-lower alkoxy that is substituted by lower alkyl, by lower alkanoyl and/or by lower alkoxycarbonyl; oxo-lower alkoxy, lower alkoxy, cycloalkoxy, lower alkoxy, lower alkenyl,

- lower alkenyloxy-lower alkoxy, lower alkoxy-lower alkenyloxy, lower alkenyloxy-lower alkyl, lower alkanoyl-lower alkoxy, optionally S-oxidised lower alkylthio-lower alkoxy, lower alkylthio-(hydroxy)-lower alkoxy, aryl-lower alkoxy, aryl-lower alkyl, aryl-lower alkoxy, optionally hydrogenated heteroaryl-lower alkoxy, optionally hydrogenated heteroaryl-lower alkyl, cyano-lower alkoxy, cyano-lower alkyl, free or esterified or amidated carboxy-lower alkyl;
- R3 and R4 are independently hydrogen, halogen, optionally halogenated lower alkyl, hydroxy, optionally halogenated lower alkoxy or cycloalkoxy, lower alkoxy-lower alkyl, cycloalkoxy-lower alkyl, hydroxy-lower alkyl, optionally S-oxidised lower alkylthio-lower alkyl, optionally hydrogenated heteroarylthio-lower alkyl, optionally hydrogenated heteroaryl-lower alkyl; amino-lower alkyl that is unsubstituted or N-mono- or N,N-di-lower alkylated, N-lower alkanovlated or N-lower alkanesulfonylated or N,N-disubstituted by lower alkylene, by unsubstituted or N-lower alkylated or N-lower alkanoylated aza-lower alkylene, by oxa-lower alkylene or by optionally S-oxidised thia-lower alkylene; cyano-lower alkyl, free or esterified or amidated carboxy-lower alkyl, cycloalkyl, aryl, hydroxy, lower alkoxy, cycloalkoxy, lower alkoxy-lower alkoxy, cycloalkoxy-lower alkoxy, hydroxylower alkoxy, aryl-lower alkoxy, optionally halogenated lower alkoxy, optionally Soxidised lower alkylthio-lower alkoxy, optionally hydrogenated heteroaryl-lower alkoxy, optionally hydrogenated heteroarylthic-lower alkoxy; amino-lower alkoxy that is unsubstituted or N-mono- or N,N-di-lower alkylated, N-lower alkanoylated or N-lower alkanesulfonylated or substituted by lower alkylene, by unsubstituted or N-lower alkylated or N-lower alkanoylated aza-lower alkylene, by oxalower alkylene or by optionally S-oxidised thia-lower alkylene; cyano-lower alkoxy or free or esterified or amidated carboxy-lower alkoxy; or
- R⁴ together with R₃ is lower alkeneoxy, alkylenedioxy or a fused-on aryl, optionally hydrogenated heteroaryl or cycloalkyl ring;
- X is methylene, hydroxymethylene, oxygen, optionally lower alkyl substituted nitrogen or optionally oxidized sulfur;
- R⁵ is lower a lkyl or cycloalkyl;
- R⁶ is hydrogen, lower alkyl, hydroxy, alkoxy or halogen;
- R7 is un substituted or N-mono- or N,N-di-lower alkylated or N-lower alkanoylated amino;
- R⁸ is lower a lkyl, lower alkenyl, cycloalkyl or aryl-lower alkyl;
- R⁹ is optionally substituted lower-alkyl, optionally substituted cycloalkyl, optionally substituted cycloalkyl alkyl, cycloalkyl carboxamides, *N*—mono or *N*,*N*-dialkyl substituted cycloalkyl carboxamides, optionally substituted anyl-alkyl, optionally substituted anyl-alkyl, optionally substituted anyl-alkyl.

aryl, optionally substituted heteroaryloxy alkyl, free or aliphatically exterified or etherified hydroxy-lower alkyl; amino-lower alkyl that is unsubstituted or N-lower alkanoylated or N-mono- or N,N-di-lower alkylated or N,N-di-substituted by lower alkylene, by hydroxy-lower alkoxy- or lower alkylated aza-lower alkylene, by unsubstituted or N'-lower alkanoylated or N'-lower alkylene, free or esterified or amidated carboxy-lower alkyl, free or esterified or amidated carboxy-lower alkyl, free or esterified or amidated carboxy-lower alkyl, grano-lower alkyl, lower alkanesulfonyl-lower alkyl, unsubstituted or N-mono- or N,N-di-lower alkylated thiocarbamoyl-lower alkyl, unsubstituted or N-mono- or N,N-di-lower alkylated sulfamoyl-lower alkyl, or a heteroaryl radical bonded via a carbon atom and optionally hydrogenated and/or oxo-substituted, or lower alkyl-substituted by a heteroaryl radical bonded via a carbon atom and optionally hydrogenated and/or oxo-substituted;

or a pharmaceutically acceptable salt thereof.

Claim 20 (currently amended): A The compound according to claim 19 wherein

R° is cycloalkyl substituted with alkyl, hydroxy, alkoxy, alkoxy-alkoxy or halogens; eycloalkyl-alkyl-optionally substituted with alkyl, hydroxy, alkoxy, alkoxy-alkoxy or halogens on cycloalkyl or halogens on alkyl or halongens on alkoxy; cycloalkyl carboxamides; N mono or N,N-dialkyl substituted cycloalkyl carboxamides; or optionally substituted aryl-alkyl;

or a pharmaceutically acceptable sait thereof.

Claim 21 (currently amended): A The compound according to claim 19 wherein

R^s is hydrogen; halogenated alkyl; optionally substituted aryl-alkyl, optionally substituted arylexy-alkyl, cycloalkyl substituted by 1 to 3 substituents selected from the group consisting of alkenyl, alkynyl, halo, hydroxy, alkoxy, alkoxy-alkoxy, alkylthio, arylthio, aryl-alkoxy, carbamoyl, sulfamoyl, sulfonyl, optionally substituted amino, cyano, carboxy, alkoxycarbonyl, aryl, aryloxy, heterocyclyl or alkyl optionally substituted by amino, halo, hydroxy, alkoxy, carboxy, alkoxycarbonyl, carbamoyl or heterocyclyl; er-optionally substituted cycloalkyl-alkyl;

or a pharmaceutically acceptable sait thereof.

Claim 22 (currently amended): A The compound according to claim 21 wherein

R¹ is hydrogen;

 R^2 is C_1-C_4 alkoxy $-C_1-C_4$ alkoxy or C_1-C_4 alkoxy $-C_1-C_4$ alkyi;

```
R3 is C<sub>1</sub>-C<sub>4</sub> alkyl or C<sub>1</sub>-C<sub>4</sub> alkoxy;
    R4 is hydrogen;
   X is methylene;
    R<sup>5</sup> is lower a lkyl;
    R<sup>6</sup> is hydrogen;
    R7 is un substituted amino:
    R8 is bran ched C3-C4 alkyl;
    R9 is opti onally substituted cycloalkyl eycloalkyl-alkyl;
or a pharmaceutically acceptable salt thereof.
Claim 23 (currently amended): A The compound according to claim 22 wherein
    R<sup>2</sup> is 3 -methoxypropyloxy;
    R3 is methoxy;
    R<sup>5</sup> is isop ropyl;
    R<sup>8</sup> is isop ropyl;
or a pharmaceutically acceptable sait thereof.
Claim 24-29 (cancelled).
Claim 30 (currently amended): A pharmaceutical composition, comprising;
        the compound of according to claim 1 formula (1) and
        one or more pharmaceutically acceptable excipient(s).
Claim 31 - 38 (cancelled).
```

Claim 39 (New) A compound named (2S,4S,5S,7S)-5-Amino-4-hydroxy-2-isopropyl-7-[4-methoxy-3-(3-methoxy-propoxy)-benzyl]-8-methyl-nonanoic acid (1-hydroxymethyl-cyclopentyl)-amide, or a pharmaceutically acceptable salt thereof.

Claim 40 (New) A compound named 1-{(2S,4S,5S,7S)-5-Amino-4-hydroxy-2-isopropyl-7-[4-methoxy-3-(3-methoxy-propoxy)-benzyl]-8-methyl-nonanoylamino}-cyclohexanecarboxylic acid methyl ester, or a pharmaceutically acceptable salt thereof.

Claim 41 (New) A compound named (2S,4S,5S,7S)-5-Amino-4-hydroxy-2-isopropy-7-[4-methoxy-3-(3-methoxy-propoxy)-benzyl]-8-methyl-nonanoic acid ((1S,2S)-2-hydroxy-cyclopentyl)-amide, or a pharmaceutically acceptable salt thereof.

Claim 42 (New) A compound named (2S,4S,5S,7S)-5-Amino-4-hydroxy-2-isopropyl-7-[4-methoxy-3-(3-methoxy-propoxy)-benzyl]-8-methyl-nonanoic acid ((R)-2,2-dimethyl-cyclopentyl)-amide, or a pharmaceutically acceptable salt thereof.

Claim 43 (New) A compound named (2S,4S,5S,7S)-5-Amino-4-hydroxy-2-isopropyl-7-[4-methoxy-3-(3-methoxy-propoxy)-benzyl]-8-methyl-nonanoic acid (1-fluoro-cyclopentyl)-amide, or a pharmaceutically acceptable salt thereof.